## Manual - Softphone Zoiper

Siga as imagens abaixo para configurar o softphone Zoiper.

1. Clique no menu Settings e depois em Preferences



- 2. Adicione os dados da conta SIP:
  - Domain: Endereço IP do PABX
  - Username: Usuario de registro da conta SIP
  - Password: Senha de registro da conta SIP

Accounts       Audio       Video       Contacts       Automation       Skin       Advanced       Premium         SIP	50		MAKZ 1	Az			0	*		
SIP       General       Extra       Codec       Advanced         ✓ conta@pabx       SIP account options       Registered         Domain :       192.168.1.1       Username :       SIOO         Password :       ••••••       •••••       •••••         Caller ID Name :       Outbound options       Auth, username :       ••••••         Outbound options       Auth, username :       ••••••       ••••••         Outbound proxy       Outbound proxy       Outbound proxy       ••••••         Outbound proxy :       Inregister       Unregister         Create account       Rename account       Renove account       ••••••	Accounts	Audio	Video	Contacts	Automation	Skin	Advanced	Premium		
SIP account options Registered   Domain : 192.168.1.1 Username : \$1000   Password : •••••• Caller ID Name :   Outbound options Auth. username :   Use outbound proxy Outbound proxy   Outbound proxy :   Register Unregister		SIP			Gener	ral	Extra	Codec	Advanced	
Domain : 192, 168, 1.1   Username : \$1000   Password : •••••   Caller ID Name :   Outbound options   Auth. username :   Use outbound proxy   Outbound proxy :   Outbound proxy :   Register   Urregister	✓ conta	a@pabx			SIP	account	options		Registere	ed
Username :       \$1000         Password :       Caller ID Name :         Caller ID Name :       Use outbound options         Auth. username :       Use outbound proxy         Outbound proxy :       Outbound proxy         Outbound proxy :       Register         Create account       Rename account         Remove account       Remove account						Domain :	192.168.1.1	8	~~~	
Password :						Jsername :	S1000			
Caller ID Name :						Password :	•••••		~~~	
Outbound options         Auth. username :         Use outbound proxy         Outbound proxy :         Outbound proxy :         Register         Unregister         Create account         Remove account         Remove account					Caller	ID Name :				
Auth. username :         Use outbound proxy         Outbound proxy :         Register         Unregister         Create account         Rename account         Remove account					0	utbound	options			
Use outbound proxy         Outbound proxy :         Register         Unregister         Oreate account         Remove account         Remove account					Auth. (	username :				
Outbound proxy :       Register       Unregister       Create account       Rename account       Remove account							📕 Use outbo	ound proxy		
Register     Unregister       Create account     Rename account       Remove account     Remove account					Outbou	ind proxy :				
Create account Rename account Remove account							Register	Unregister		
Create account Rename account Remove account										
Create account Rename account Remove account										
Create account Rename account Remove account										
Create account Rename account Remove account										
Rename account Remove account		Create acco	unt							
Remove account		Rename acco	unt							
		Remove acco	unt							
								M Cancel		

3. Clique no Submenu Advanced e escolha a opção "Don't use STUN" conforme a tela abaixo:

Preferences										8
90		MAKE 1	A			<b>O</b>	*			
Accounts	Audio	Video	Contacts	Automation	Skin	Advanced	Premium			
	SIP			Gene	ral	Extra	Codec	Advance	ed 💦	
✓ cont	a@pabx			Advanced	account	options				
				Registrati	ion expiry :	3600		Enable ZR	TP	
				Keep aliv	e time-out:	Disable		30		
				Use BLF *		🗹 Subscribe	presence	🗹 Publish pre	sence	
				Send KPML		Use D	TMF RFC-28	33		
				Use rport		Use L	JDP transpor	t		
				Use rport n	nedia	TLS V	ith no SRTP			
				Force RFC-	-3264	Don't	use STUN			
				TLS	<b>client</b> ce	rtificate				
				Ce	rtificate file					
				Use cer	rtificate as:	Don't use				
					STUN	options				
				Server Hos	stname/IP:					
	Create accou	unt			Port :	0				
	Rename acco	unt		Refre	sh period :	0				
	Remove acco	unt								
							X Cano	el 🗸	ОК	
						- 2				

4. Clique no menu principal Advanced e na opção Network:
- Desabilite a opção Enable STUN e apague o conteudo do campo "Server Hostname/IP"

				Pre	eferences		14		¢
Accounts	Audio	MARE 1	Contacts	Automation	Skin	<b>Q</b> Advanced	Premium		
	The second se								
		-	Provision	Network	Secu	rity (	Diagnostic		
		SIP opt	ons						
		Port	5060	🗾 🗹 Open r	andom port	above 32000			
		IAX opti	ions						
		Port	4569						
		RTP opti	ions						
		Port	8000	Open r	andom port	above 32000			
		STUN opt	ions						
			📕 Enab	le STUN 🧹	<b>K</b>				
	Server H	lostname/IP	:			<b>&lt;</b>	<b>~~</b>		
		Port	3478						
	Ref	fresh period	: 30						
	Netwo	ork optio	ns						
	Signaling	QOS/DSCP	: CS0						
	Media	QOS/DSCP	: CS0						
							× Cancel	√ ок	

5. Para finalizar clique no menu principal Account e depois em General. Clique no botao Register e confirme se o Status da conta ficou como "Registered". Após, clique no botao OK

Preferences										۲
50		14,82.1	A			<b>O</b>	*			
Accounts	Audio	Video	Contacts	Automation	Skin	Advanced	Premium			
	SIP			Gene	ral	Extra	Codec	Advanced		
✓ cont	a@pabx			SIP	account	options		Re	egistered	
					Domain :	192.168.1.1				
					Username :	S1000				
					Password :	•••••				
				Caller	ID Name :					
				0	utbound	options				
				Auth.	username :					
						📕 Use outbo	ound proxy			
				Outbou	ind proxy :					
				>>>	R	egister	Unregiste			
	Create acco	unt								
	Rename acco	unt								
	Remove acco	unt								
							× Cancel	1	ОК	
						2				